



# BIOMECHANICAL FULL REPORT



## ADULT MALE

USER ID:	00021
Reg Number:	VCS_74
Sex:	M
Age:	34
Recording date:	22/01/2019
Time:	15:49:18

The results **WILL NOT BE VALID** if one of the following assumptions is met:

- You did not use an external microphone compatible with your device.
- You did not record the phonation of the vowel / a / maintained at normal tone and volume.
- The sample was contaminated with noise from the environment, voices from other people, etc.

## NOTES AND BIOMECHANICAL ASSESSMENT

ASSESSMENT OF PATHOLOGY PROFILE  
 Voice with alteration profile which would correlate with alteration characterised by mass effect with strong impact on glottal closure and asymmetry. Correlating with differing involvement of the free edge for both vocal cords.

- Moderate asymmetry, compatible with moderately imbalanced dynamic of the free edge.

ASSESSMENT OF ALTERATION INDEX  
 Biomechanics of vocal cords with correlations compatible with:

- Slight closing defect which is maintained within normal range.
- The biomechanics are characterised by some tension in the vocal cords during vibration.
- The patient does not develop productive glottal effort. The dynamics do not adequately correspond between the cycle phases (amplitude and time) to produce an adequate sound. As a result, the glottal efficiency is low, although within the normal range.
- The muscular control of tension developed by the vocal cords to maintain closing is low. Instability is noted with increased values (instability within the cycle, should not be confused with vibrato which occurs between cycles).
- Decreased correlation of mucosal wave in closing phase, although within normal limits. (In this type of report the mucosal wave has not been considered during the opening phase, there is pathology with increased mucosal wave which is only revealed during the opening phase. For this, request report R3)
- Biomechanics compatible with asymmetry in the dynamics of the free edge of the vocal cord.

ASSESSMENT OF DYNAMIC PROFILE  
 Closing dynamic which would indicate a lack of contact between vocal cord free edges.

ADULT MALE




BIOMECHANICAL REPORT OF  
THE VOCAL FOLDS

**R3 - UNBALANCE PROFILE**

USER ID: 00021

Reg Number:	VCS_74
Sex:	M
Age:	34
Recording date:	22/01/2019



(!) The structural alteration with low impact during glottic closure may not appear in this graph, but it will be reflected in P19 (See results on sheet 4)

©The creations in this document are protected by copyright and other laws on intellectual property, and all unauthorized usage of materials could violate such laws. With the exception of what is specifically permitted here, images cannot be reproduced in any part, in any form and by any means without a previous written authorization

**NOTE**

This report contains the biomechanical information extracted from the voice signal sent to Voice Clinical Systems. The signal was sent without any data attached which could identify the speaker. The report includes a set of parameters which allow a description of the biomechanics of the vocal folds during voice production. Any clinical judgement or diagnosis is not established. The interpretation and evaluation of clinical data is the responsibility of the health professional that required this information.

**GLOT. POW. (+)** It correlates with phonation modes marked by excessive tension of the muscles involved in achieving and maintaining the glottal closure, regardless of the degree of achievement.

**GLOT. POW. (-)** It correlates with phonation modes marked by lack of tension of the muscles involved in achieving and maintaining the glottal closure, regardless of the degree of achievement.

**ALT. MASS.** It correlates with the presence of a structural alteration with mass effect (by increase or decrease) that causes an alteration in the glottic closure and in the vibration mode.

**MW (+).** It correlates with increased mucosal wave in phonation.

**MW (-).** It correlates with decreased mucosal wave in phonation.

**OPEN (+).** It correlates with increased open time, regardless of the degree of achievement of glottal closure.

**OPEN (-).** It correlates with decreased open time, regardless of the degree of achievement of glottal closure.

**CLOSE (+).** It correlates with increased close time, regardless of the degree of achievement of glottal closure.

**CLOSE (-).** It correlates with decreased close time, regardless of the degree of achievement of glottal closure.

**WARNING GAP** It is pointing to a significant gap and could be correlated with alterations in the medial movement of the vocal folds. It is recommended a deeper study of the patient.

ADULT MALE



BIOMECHANICAL REPORT OF THE VOCAL FOLDS  
**R3 - ALTERATION INDEX**

USER ID: 00021

Reg Number:	VCS_74
Sex:	M
Age:	34
Recording date:	22/01/2019

	Value	Norm.*	Exten.*	
<b>• SET A</b> (Fundamental Frequency)				
P01 FO (Hz.)	111,1	105 - 139	95 - 159	
<b>• SET B</b> (Harmony in the movement of the edge)				
P02 Rat. Cycles Closing (Vfa/VFb)	1,00	1	0,50-0,33	
P03 % Asymmetry	68,1	0	0	↗
<b>• SET C</b> (Phases of the cycle)				
P04 Closed (%)	65,1	50 - 73	28 - 77	
P05 Open (%)	34,9	26 - 49	22 - 71	
P06 Opening (%)	25,6	12 - 27	8 - 35	
P07 Closing (%)	9,3	5 - 36	4 - 37	
<b>• SET D</b> (Muscular tension and stress)				
P08 Strain Ind. (r.u)	15,2	1,49 - 13	0,69 - 45	↗
P09 Closing Func. Power (r.u)	989,8	95 - 799	43 - 2100	↗
<b>• SET E</b> (Sufficiency of the closure)				
P10 Efficiency Ind. (r.u)	1,2	1,2 - 1,6	1 - 2,7	
P11 Gap Amplitude (r.u)	-0,087514	0	(-0,013)	↑
P12 Gap size (r.u)	20,5	0	1 - 35	↗
<b>• SET F</b> (Tension with instability)				
P13 Tremor (r.u)	42,6	0 - 17	< 30	↑
<b>• SET G</b> (Separation between edges)				
P14 Amplitude Ind. (r.u)	0,8	0,25 - 1,5	0,1 - 2,2	
<b>• SET H</b> (Mucosal wave and edema correlates)				
P15 MW Ind. Closing (r.u)	258,8	170 - 520	90 - 630	
P16 MW Ind. Opening (r.u)	34,9	15 - 89	7 - 155	
P17 Adequacy ratio MW closing (r.u)	-20,5	(-18) - 54	(-56) - 90	↘
P18 Adequacy ratio MW opening (r.u)	0,0	0	200	
<b>• SET I</b> (Mass correlates)				
P19 Structural imbalance ind. <sup>1</sup> (r.u)	97,4	<75	75 - 85	↑
P20 Mass Alt. ind. <sup>2,3</sup> (r.u)	0,0	0	0	

\* Estimated from the values of VCS Version 2019. \* Values are given in Percentage (%), Hertz (Hz.) or Relative Units (r.u)

[HELP](#)

	Normality Threshold		Consolidated Disorder Threshold
	Moderately increased		Increased ↑
	Moderately diminished		Diminished ↓

**ANALYZING FOR YOU**



ADULT MALE

**NOTE**

This report contains the biomechanical information extracted from the voice signal sent to Voice Clinical Systems. The signal was sent without any data attached which could identify the speaker. The report includes a set of parameters which allow a description of the biomechanics of the vocal folds during voice production. Any clinical judgement or diagnosis is not established. The interpretation and evaluation of clinical data is the responsibility of the health professional that required this information.

**PARAMETERS**


- 1 Fundamental Frequency
- 2 It is defined as the relation of cycles exist in the phase of closing between the free edges.
- 3 Asymmetry with increase of the open phase in the dynamics of the free edge during the vibration cycle.
- 4 % of time in which the edges of the vocal folds are approximating to achieve the closure.
- 5 % of time from a full cycle, in which the edges of the vocal folds are separated after a maximum closure
- 6 % of the opening (Separation)
- 7 % of the closing (Approximation)
- 8 Straingth Index of the closure
- 9 Power of vocal folds to maintain a tension over time.
- 10 Optimal use of energy during voice production
- 11 Lack of a complete closure
- 12 Lack of a complete closure in relation to the closure phase
- 13 Instability to support a mucosal stable tension during vibration (Like vibrato)
- 14 Separation of the edges of the vocal folds
- 15 Mucosal wave observed during closing phase
- 16 Mucosal wave observed during opening phase
- 17 An edema correlation observed during the closing phase (Increased or decreased)
- 18 Adequacy ratio MW Opening: An edema correlation observed during the opening phase (Increased or decreased)
- 19 It correlates with (a) minimal structural alteration, (b) structural alteration but with small glottal impact, (b) biomechanical behavior that favors pathology or that causes a structural alteration of the vibratil zone.
  - (1): IG (-) Refers to a non-significant or compensated Glottal Impact
- 20 It correlates with a possible structural alteration in the mass of the free edge or in the supraglottic structures, in the case of the latter with an undesirable participation of the same during the vibration (Examples: Nodule, Sulcus, Cysts, Ventricular Bands, etc). Causing a mass effect, by increase or decrease.
  - (2): IG (+) Refers to a significant and uncompensated Glottal Impact
  - (3): In order for the structural alteration to be detected, there must be an active participation in the generation of sound.

ADULT MALE



**BIOMECHANICAL REPORT OF THE VOCAL FOLDS**  
**R3 - PROFILE DYNAMICS STUDY**

USER ID: 00021  
 Reg Number: VCS\_74  
 Sex: M  
 Age: 34  
 Recording date: 22/01/2019




Observed Intermediate Closures (OIC)


5	↑
---	---

GAP Amplitude Index (GAI)

-0,087514
-----------




— Normal dynamic closing pattern  
 - - - Intermediate openings detected (C1,C2,...CF)  
 VFAC: Free edge of the vocal fold "A" during the closed phase  
 VFBc: Free edge of the vocal fold "B" during the closure phase



Observed Intermediate Openings (OIO)

1	✓
---	---




— Normal dynamic opening pattern  
 - - - Intermediate openings detected (I, O1,O2,...FO)  
 VFAC: Free edge of the vocal fold "A" during the open phase  
 VFBc: Free edge of the vocal fold "B" during the open phase

ADULT MALE



1. ALTERATION GAP:



2. REFERENCE POINTS:

Present / Away


S	YES
C	YES
E	YES
Q	NO
O	YES
R1	NO

All present in normal biomechanics and are absent in an altered biomechanics

Presents with altered biomechanics, being indicative of possible injury. Absent in normal biomechanics


3. S-WAVE

(Serial identification of the points and segments of the cycle)



4. T-WAVE:

(Segments and points depending on the period)





HELP FOR THE INTERPRETATION OF GRAPHICS AND WAVES

1. GAP Alteration

The graph that represents the percentage of GAP in relation to the total of the closed phase of the cycle.


2. Reference Points

It allows to identify the different segments that determine the phases of the cycle and make it possible to characterize their alteration.

- S Starting point of the closed phase
- C Intermediate point in amplitude in closed phase
- E End closed phase and start of the open phase
- Q It appears in biomechanical alteration. Indicates an unwanted closure during the open phase.
- O End point of the opening phase and start of the closing phase.
- R The points R (R1, R2, ...) can be more than one and represent unwanted open during the closing phase. They are associated with biomechanical alteration and / or injury.


3. S-WAVE

Represents the sequential disposition of the reference points omitting the time value in period. It allows to identify all the present points, even if they present temporary overlap.



Biomechanical wave considering the period value of each reference point. Several consecutive cycles are shown. Some reference points can be superimposed by having an equal or very close period.

4. T-WAVE





ADULT MALE



NOTE

This report contains the biomechanical information extracted from the voice signal sent to Voice Clinical Systems. The signal was sent without any data attached which could identify the speaker. The report includes a set of parameters which allow a description of the biomechanics of the vocal folds during voice production. Any clinical judgement or diagnosis is not established. The interpretation and evaluation of clinical data is the responsibility of the health professional that required this information.

©The creations in this document are protected by copyright and other laws on intellectual property, and all unauthorized usage of materials could violate such laws. With the exception of what is specifically permitted here, images cannot be reproduced in any part, in any form and by any means without a previous written authorization.

**Thank you for trusting Voice Clinical Systems!**

Should you need any further information, please contact us at the following e-mail address:

[info@voicecs.com](mailto:info@voicecs.com)